FIG. 1



FIG. 2



FIG. 3A



FIG. 3B



FIG. 3C



FIG. 3D



FIG. 3E



FIG. 3F



FIG. 4



FIG. 3G



FIG. 5A



FIG. 5B



FIG. 6


601
PRESENT CURRENT IMAGE ON DISPLAY
602
RECEIVE USER INPUT TO DELETE CURRENT IMAGE
603
SCROLL RIGHT HALF OF PRIOR IMAGE OVER LEFT HALF OF DELETED IMAGE AND CONCURRENTLY SCROLL LEFT HALF OF SUBSEQUENT IMAGE OVER RIGHT HALF OF DELETED IMAGE ON DISPLAY
604
RECEIVE USER INPUT TO MOVE FORWARD OR BACKWARD
605
DISPLAY ALL OF PRIOR IMAGE OR ALL OF SUBSEQUENT IMAGE DEPENDING ON DIRECTION

FIG. 7


701
DETERMINE USER SCROLLING DIRECTION IN RESPONSE TO USER SCROLLING INPUTS
702
AT LEAST PARTIALLY DELETING A DISPLAYED IMAGE IN RESPONSE TO A USER DELETION INPUT
703
BASED UPON THE DETERMINED DIRECTION, DISPLAYING AT LEAST A PORTION OF THE NEXT IMAGE IN THE SCROLLING DIRECTION AFTER THE DELETED IMAGE UNLESS THE DELETED IMAGE WAS THE FIRST OR LAST IMAGE IN THE PRESET ORDER